


Kemsurf PWS

Specification	Appearance at 25°C	:	Clear brown liquid free from foreign matter
	SAM % (Equivalent Weight 385)	:	90 Min
	pH (2% Aqueous)	:	3.0 - 6.0

Typical Properties	Composition	:	Isopropylamine Dodecyl Benzene Sulphonate
	CAS Number	:	84961-74-0
	Odour	:	Characteristic
	Viscosity at 25°C (cP)	:	2471
	Specific Gravity at 20°C	:	1.028
	Solubility in Water	:	Slightly soluble
	Pour Point °C	:	<10
	Flash Point Closed Cup °C	:	>150

Foam Height Scale



Wetting Scale



Typical properties are based on our own measurements and do not constitute part of the sales specification

Application

- Added to fuel oil to solubilise traces of water
- Emulsifier and detergent for solvent based paint brush cleaners
- Latex emulsifier
- Wetting and detergent agent for oil based systems
- Used in dry cleaning applications
- Coupling agent for water within charge detergent systems
- Metal cleaning applications
- Acid aluminium cleaners
- Effective dispersant for paraffin wax deposit build up in crude oil pipelines

Packaging

Kemsurf PWS is supplied in 200kg drums.

Storage

Stainless steel, polyethylene or glass lined equipment is necessary for the storage of Kemsurf PWS in order to prevent corrosion and subsequent contamination. This material can separate on standing and at low temperatures. May require agitation and warming prior to use.

All information, recommendations and suggestions appearing in the literature concerning the use of the product are based upon tests and data believed to be reliable. However it is the users responsibility to determine the suitability for their own use of the products described here. For non English datasheets translation has been carried out using translation software, Lankem accepts no liability due to errors that occur during translation. Typical properties are based on our own measurements and do not constitute part of the sales specification.